


OVERVIEW

SPECIFICATION

ORDERING INFORMATION

DOWNLOADS

Home (/) > PRODUCTS (products.php) > Industrial Panel PC (goods_catalog.php?cid=2) > High Performance Modular Panel PC (CV-100/P2000 Series) (goods.php?cid=38)



CV-117 / P2002E

17" 6th Gen. Intel® Core™ Processor U Series Fanless Touch Panel PC with CFM & CDS Technology

PRODUCTS FEATURES

17" SXGA TFT-LCD with Resistive 5-wire / Projected Capacitive Touch

Onboard Intel® 6th Generation Core™ Processor U Series (15W)

2x DDR4 SO-DIMM Socket, Support Up to 32 GB

Integrated Intel® HD Graphics 520 Support Triple Display

2x 2.5" SATA HDD Bay, 1x mSATA and 1x CFast Socket

IP65 Compliant Aluminum Die-Cast Front Frame

2x Full-size Mini-PCle Socket for Wireless and I/O Expansion

Support CFM Technology for PoE and Ignition Sensing Functions

Rich I/O (2x GbE LAN, 6x COM, 5x USB, 16x Isolated DIO)

Support Instant Reboot Technology

Wide Operating Temperature (-20°C to 70°C)

SuperCap integrated for CMOS Battery Maintenance-Free


PCI/PCle Expandable Version Available (CV-117/P2002E)

DATASHEET

ADD TO INQUIRY

(data/files/201612/1482391337518295033.pdf)

OVERVIEW

Cincoze CV-117/P2000 Series is a 17" high performance fanless and jumperless rugged touch panel PC powered by Intel® 6th generation Core™ processor U series, offering more computing power, faster data processing and a 40% boost to graphics performance, while consuming only 15W of power. 

The CV-117/P2000 Series supports CFM (Control Function Module) Technology, Cincoze own defined interface with integrated power boost and control signal that allows you to extend PoE and ignition sensing functions with additional CFM boards. In addition Cincoze offers a full series of Mini-PCle Expansion I/O Card

(MEC) for adding extra I/O through the universal bracket. The CV-117/P2000 Series comes with the slim version, and the expandable version (PCI/PCIe card expansion) made with outstanding modular design concept for the greatest flexibility to fulfill the versatile industrial applications.

The CV-117/P2000 Series is a truly rugged computing system supporting wide operating temperature from -20°C to 70°C, wide range DC input from 9V to 48V, and various kinds of industrial protections. Moreover, the instant reboot circuit design allows the system to cope with critical power request for factory applications. The CV-117/P2000 Series has an integrated SuperCap to avoid high downtime cost of replacing CMOS battery and be absolutely maintenance-free.

SPECIFICATION

Model Name		CV-117/P2002E	
Model No.		CV-117R/P2002E	CV-117C/P2002E
Display	LCD Size	17" (5:4)	
	Max. Resolution	1280 x 1024	
	Brightness (cd/m2)	350	
	Contrast Ratio	800 : 1	
	LCD Color	16.7M	
	Pixel Pitch (mm)	0.264 (H) x 0.264 (V)	
	Viewing Angle (H-V)	160 / 140	
	Backlight MTBF	50,000 hrs (LED Backlight)	
Touch	Resistive 5-wire	V	-
	Projected Capacitive	-	V
Processor System	Onboard 6th Intel® Core™ U processors (Skylake) - Intel® Core™ i5-6300U processor (3M Cache, up to 3.00 GHz) - TDP: 15 W - BIOS: AMI 64Mbit SPI BIOS		
Memory	2x DDR4 260-pin SO-DIMM socket, support up to 32 GB (2133MHz, un-buffered and non-ECC type)		
Graphics	Intel® HD Graphics 520 Triple display with 1x VGA, 1x DVI-D and 1x CDS interface		
Audio	Realtek® ALC888-GR High Definition Audio		
I/O Interface	1x VGA (Up to 1920 x 1080 @ 60Hz), DB-15		
	1x DVI-D (Up to 1920 x 1080 @ 60Hz)		
	1x CDS Interface, Compact PCI Connector		
	2x GbE LAN (Support WoL, Teaming, Jumbo Frame and PXE), RJ45 - GbE1: Intel I219LM - GbE2: Intel I210AT		
	2x PoE+ (with Optional CFM PoE Module) - Comply with IEEE 802.3at, Offers Up to 25.5W Per Port		
	6x RS-232/422/485 with Auto Flow Control (Support 5V/12V), DB9		
	4x USB 3.0, Type-A		
	1x USB 2.0, Type-A		
	16x Isolated DIO (8x DI/8x DO), 20-Pin Terminal Block		
	1x Line-out & 1x Mic-in, Phone Jack 3.5mm		
	1x Power On/Off Switch		
	1x Reset Button		
	1x AT/ATX Switch		
	1x Remote Power On/Off Connector, 2-Pin Terminal Block		
	1x External FAN Connector, 4-Pin Terminal Block		
Storage	2x 2.5" SATA HDD/SSD Bay, Support RAID 0/1 (Gen3)		
	2x mSATA (One Shared by Mini-PCIe Socket) (Gen2)		
	1x CFast Socket (Gen3)		
Expansion	1x CFM PoE interface		
	1x CFM IGN interface		
	2x Full-size Mini-PCIe Socket		
	1x Universal I/O Bracket		
	1x SIM Socket		
Other Function	4x Antenna Hole		
	Support CDS Technology		
	Support CFM Technology		
	Support Instant Reboot Technology (0.2 sec)		
	Support Power Ignition Sensing (IGN)		
	Support OSD Function (LCD On/Off, Brightness Up, Brightness Down for CDS Display Module)		
	Internal Speaker AMP 2W + 2W		
Power Requirement	SuperCap Integrated		
	Watchdog Timer: Software Programmable Supports 1~255 sec. System Reset		
	Support AT/ATX Power Mode		
	Power Input Voltage 9~48VDC One 3-pin Terminal Block Connector		

Physical OVERVIEW	Optional Power Adapter AC/DC 12V/5A 60W or 24V/5A 120W
	Dimension (WxHxD): 450 x 350 x 106.5 mm
	Weight: 8.82 kg
	Die-cast Flat Surface
	Support Panel Wall / Arm / VESA / Mounting
	Fanless Design
Protection	Jumper-less Design
	Reverse Power Input Protection
	Over Voltage Protection: 58V
	Over Current Protection: 15A
	ESD Protection: +/-15kV (air), +/-8kV (contact)
Operating System	Surge Protection: 3kW
	Windows® 10
	Windows® 8.1
	Windows® 7
Environment	Linux® Kernel 4.4
	Operating Temperature: -20°C to 70°C (With extended temperature peripherals; Ambient with air flow According to IEC60068-2-1, IEC60068-2-2, IEC60068-2-14)
	Storage Temperature: -30°C to 80°C
	Relative Humidity: 80% RH @ 50°C (Non-condensing)
	IP Level: IP65 Compliant Front Panel
EMC: CE, FCC Class A	

ORDERING INFORMATION

Available Models

Model No.	Product Description
CV-117R-R10/P2002E-i5-R10	17" TFT SXGA 5:4 Panel PC with Resistive 5-wire Touch and Intel 6th Gen. Core i5-6300U Expandable Fanless Computer, CFM Interface, CDS Interface
CV-117R-R10/P2002E-i5-E4-R10	17" TFT SXGA 5:4 Panel PC with Resistive 5-wire Touch and Intel 6th Gen. Core i5-6300U Expandable Fanless Computer, CFM Interface, CDS Interface, 1x PCIe4 Expansion
CV-117R-R10/P2002E-i5-PI-R10	17" TFT SXGA 5:4 Panel PC with Resistive 5-wire Touch and Intel 6th Gen. Core i5-6300U Expandable Fanless Computer, CFM Interface, 1x PCI Expansion
CV-117C-R10/P2002E-i5-R10	17" TFT SXGA 5:4 Panel PC with Projected Capacitive Touch and Intel 6th Gen. Core i5-6300U Expandable Fanless Computer, CFM Interface, CDS Interface
CV-117C-R10/P2002E-i5-E4-R10	17" TFT SXGA 5:4 Panel PC with Projected Capacitive Touch and Intel 6th Gen. Core i5-6300U Expandable Fanless Computer, CFM Interface, CDS Interface, 1x PCIe4 Expansion
CV-117C-R10/P2002E-i5-PI-R10	17" TFT SXGA 5:4 Panel PC with Projected Capacitive Touch and Intel 6th Gen. Core i5-6300U Expandable Fanless Computer, CFM Interface, CDS Interface, 1x PCI Expansion

Package Checklist

√Panel PC x 1
√Utility DVD Driver x 1
√Power Terminal Block Connector x 1
√Screw Pack x 1
√Panel Mounting Kit x 1
√Fan Terminal Block Connector x 1
√DIO Terminal Block Connector x 2
√Power On/Off Terminal Block Connector x 1

Optional Modules

Model No.	Description
CFM-IGN100	CFM Module with Power Ignition Sensing Control Function, 12V/24V Selectable (41 x 35 mm)
CFM-PoE101	PoE Control Function Module, Individual Port 25.5W (50 x 44 x 33 mm) (For CV-100/P2002E only)
MEC-COM-M212-0503	Mini-PCIe Module with 2x COM Ports, 2x Universal Brackets (154 x 17 mm)
MEC-COM-M334-0504	Mini-PCIe Module with 4x RS-232/422/485 Serial Ports, 1x Universal Bracket (154 x 17 mm)
MEC-FIR-M003-0501	Mini-PCIe Module with 1x 1394A Port, 2x 1394B Ports, 1x Universal Bracket (154 x 17 mm)
MEC-LAN-M002-R1-0511	Mini-PCIe Module with 2x LAN Ports, 1x Universal Bracket (154 x 17 mm)
MEC-USB-M002-0514	Mini-PCIe Module with 2x USB 3.0 Ports, 1x Universal Bracket (154 x 17 mm)
RC-E4-01	Riser Card with 1x PCIe4 Slot
RC-PI-01	Riser Card with 1x PCI Slot

Optional Accessories

Model No.	Description
GSM60A12-CIN1	Adapter AC/DC 12V 5A 60W with 3pin Terminal Block Plug 5.0mm Pitch
GS120A24-CIN1	Adapter AC/DC 24V 5A 120W with 3pin Terminal Block Plug 5.0mm Pitch
SL2-SL3	US 2 heads power cord, US B type to IEC C13, SVT 18AWG/3C Black 1.8M
SL6-SL3	EU 2 heads power cord, EU G type to IEC C13, H05VV-F 0.75mm2/3G Black 1.8M
QP026-SL3	UK 2 heads power cord, UK I type to IEC C13, H05VV-F 0.75mm2/3G Black 1.8M

DOWNLOADS

Datasheet	OVERVIEW	SPECIFICATION	ORDERING INFORMATION	DOWNLOADS
		Subject	Release Date	Download
		CV-117/P2000 Series Datasheet	2016/12/22	

Manual				
		Subject	Release Date	Download
		CV-100/P2000 Series Manual	2017/01/04	

Driver				
		Subject	Release Date	Download
		P2000 Series Audio Driver (32 bit) (Windows Version)	2016/09/29	
		P2000 Series Audio Driver (64 bit) (Windows Version)	2016/09/29	
		P2000 Series Chipset Driver (Windows Version)	2016/09/29	
		P2000 Series UART Driver (Windows Version)	2016/09/29	
		P2000 Series Graphics Driver (32 bit) (Windows Version)	2016/09/29	
		P2000 Series Graphics Driver (64 bit) (Windows Version)	2016/09/29	
		P2000 Series MCU Driver (32 bit) (Windows Version)	2016/09/29	
		P2000 Series MCU Driver (64 bit) (Windows Version)	2016/09/29	
		P2000 Series Skylake MEI Driver (32 bit) (Windows 7)	2016/09/29	
		P2000 Series Skylake MEI Driver (64 bit) (Windows 7)	2016/09/29	
		P2000 Series Skylake MEI Driver (64 bit) (Windows 8, Windows 10)	2016/09/29	
		P2000 Series LAN Driver (Windows Version)	2016/09/29	
		P2000 Series Serial I/O Driver (Windows 7)	2016/09/29	
		P2000 Series Serial I/O Driver (Windows 8, Windows 10)	2016/09/29	
		P2000 Series RAID Driver (Windows Version)	2016/09/29	
		P2000 Series USB 3.0 Driver (Windows 7)	2016/09/29	
		P2000 Series USB 3.0 Driver (Windows 8)	2016/09/29	

[↶ Back to category](#)

Cincoze Co., Ltd.

7F., No. 4, Aly. 1, Ln. 235, Baociao Rd., Sindian Dist., New Taipei City 23145, Taiwan (R.O.C.)

☎ 886-2-2918-8055 📠 886-2-2918-8066 ✉ info@cincoze.com (contact_form.php)

PRODUCTS

Rugged Embedded Computer

- High Performance & Compact (DI Ser... (goods.php?cid=6)
- High Performance & Expandable (DS ... (goods.php?cid=4)
- Power Efficient & Expandable (DE S... (goods.php?cid=5)
- Compact (DC Series) (goods.php?cid=25)
- Affordable (DA Series) (goods.php?cid=27)
- more... (goods_catalog.php?cid=1)

Industrial Panel PC

- High Performance Modular Panel PC ... (goods.php?cid=38)
- Power Efficient Modular Panel PC (... (goods.php?cid=10)



INDUSTRIES

[Factory Automation \(application.php?cid=1\)](#) [Machine Automation \(application.php?cid=2\)](#) [Transportation \(application.php?cid=3\)](#)
[Surveillance & Security \(application.php?cid=4\)](#)

SUPPORTS

[OVERVIEW](#)

[SPECIFICATION](#)

[ORDERING INFORMATION](#)

[DOWNLOADS](#)

[Warranty \(warranty.php\)](#) [RMA \(rma.php\)](#) [FAQ \(faq.php\)](#) [Download \(download.php\)](#)

COMPANY

[About Cincoze](#)

- [Who We Are \(company.php?id=1\)](#)

- [What We Do \(company.php?id=2\)](#)

- [What We Believe \(company.php?id=3\)](#)

- [ISO9001:2015 \(company.php?id=4\)](#)

[Technologies](#)

- [Embedded System \(technology.php?id=1\)](#)

- [Display System \(technology.php?id=2\)](#)

NEWS & EVENTS

[News \(bulletin.php?cid=1\)](#) [Events \(bulletin.php?cid=2\)](#) [eDM \(bulletin.php?cid=4\)](#)

CONTACT US

[Contact Us \(contact_form.php\)](#)

Copyright © Cincoze Co., Ltd. All Rights Reserved.

[Site Map \(sitemap.php\)](#)

[Privacy Policy \(privacy.php\)](#)

Designed by GRNET (<http://grnet.com.tw/>)

