


Metal Keypad



Offers a range of small keypads in various sizes, interfaces, and functions to meet different operational and functional needs.

Additionally, we provide options for backlighting and Braille configurations. Most products can achieve IP54 and IP65 protection levels when properly installed, with some products reaching up to IP68 protection.

OVNP-16T-USB-01F

Front Panel: 100mm×100mm

Number of keys: 16

Protection level: IP65

Interface: USB、PS2、RS232、Marix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-16T-USB-03

Front Panel: 87.5mm×91.5mm

Number of keys: 16

Protection level: IP54

Interface: USB、PS2、RS232、Marix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-16T-USB-03K

Front Panel: 87.5mm×91.5mm

Number of keys: 16

Protection level: IP54

Interface: USB、PS2、RS232、Marix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-16T-USB-03B

Front Panel: 87.5mm×91.5mm

Number of keys: 16

Protection level: IP65

Interface: USB、PS2、RS232、Marix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None





OVNP-16T-USB-04E

Front Panel: 100mm×91.5mm

Number of keys: 16

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-16T-USB-04B

Front Panel: 100mm×91.5mm

Number of keys: 16

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-16T-USB-81C

Front Panel: 116mm×95mm

Number of keys: 16

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-16T-USB-88

Front Panel: 100mm×91.5mm

Number of keys: 16

Protection level: IP68

Interface: USB、

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-16T-USB-91

Front Panel: 54mm×54mm

Number of keys: 16

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-16T-USB-158

Front Panel: 60mm×57mm

Number of keys: 16

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-16T-USB-01 TOUCH

Front Panel: 87.5mm×91.5mm

Number of keys: 16

Protection level: IP65

Interface: USB、

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVN-16T-USB-16

Front Panel: 160mm x102.4mm

Number of keys: 16


Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None





Keyboard Series

IP65-IP67

Metal Keyboard Series

OVNP-12T-USB-08J

Front Panel: 88mm×102mm

Number of keys: 12

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-12T-USB-08J-1

Front Panel: 68mm×90mm

Number of keys: 12

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-12T-USB-08

Front Panel: 76.5mm x 92mm

Number of keys: 12

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-12T-USB-08A

Front Panel: 76.5mm x 92mm

Number of keys: 12

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-12T-USB-08H

Front Panel: 100mm×95mm

Number of keys: 12

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-12T-USB-08J-2

Front Panel: 68mm×90mm

Number of Keys: 12

Protection level: IP66

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-12T-USB-35

Front Panel: 114mm×66mm

Number of keys: 12

Protection level: IP54

Interface: Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-12T-USB-32

Front Panel: 55mm x55mm

Number of keys: 12

Protection level: IP54

Interface: Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None





Keyboard Series

IP65-IP67

Metal Keypad Series

OVNP-12T-USB-150

Front Panel: 90mm×120 x 25mm

Number of keys: 12

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-12T-USB-145 V.2

Front Panel: 120mm×180mm

Number of keys: 12

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-12T-USB-141

Front Panel: 105.5mm x 211mm

Number of keys: 12

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-15T-USB-15

Front Panel: 150mm x 74mm

Number of keys: 15

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-15T-USB-25A

Front Panel: 83.8mm×114mm

Number of keys: 15

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-15T-USB-18B

Front Panel: 90mm×60mm

Number of Keys: 15

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-18T-USB-06

Front Panel: 150mm×74mm

Number of keys: 18

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-18T-USB-12

Front Panel: 90mm x110mm

Number of keys: 18

Protection level: IP65

Interface: USB

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None





Keyboard Series

IP65-IP67

Metal Keypad Series

OVNP-18T-USB-09

Front Panel: 77.8mm×162.8mm

Number of keys: 18

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-18T-USB-92

Front Panel: 60mm×92.2mm

Number of keys: 18

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-18T-USB-06 BG

Front Panel: 150mm x 74mm

Number of keys: 18

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-15T-USB-39

Front Panel: 112mm x 59mm

Number of keys: 15

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-18T-USB-06 DESK

Front Panel: 205mm×100mm x 30mm

Number of keys: 18

Protection level: IP54

Interface: USB、PS2、RS232

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-20T-USB-10

Front Panel: 120mm×90mm

Number of Keys: 20

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-20T-USB-05

Front Panel: 120mm×146mm

Number of keys: 20

Protection level: IP54

Interface: Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-20T-USB-130

Front Panel: 130mm x 110mm

Number of keys: 20

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None





Keyboard Series

IP65-IP67

Metal Keypad Series

OVNP-20T-USB-46

Front Panel: 90mm×110mm

Number of keys: 20

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-20T-USB-118

Front Panel: 66mm×81mm

Number of keys: 20

Protection level: IP66

Interface: Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-11T-USB-47

Front Panel: 64mm x 85mm

Number of keys: 11

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-8T-USB-26

Front Panel: 104mm x 46mm

Number of keys: 8

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-7T-USB-08-7

Front Panel: 76.5mm×92mm

Number of keys: 7

Protection level: IP54

Interface: USB、PS2、RS232

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-5T-USB-96

Front Panel: 64mm×64mm

Number of Keys: 5

Protection level: IP54

Interface: Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-4T-USB-43

Front Panel: 90mm×80mm

Number of keys: 4

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-10T-USB-39

Front Panel: 97mm x36mm

Number of keys: 10

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None





Keyboard Series

IP65-IP67

Metal Keypad Series

OVNP-4T-USB-38

Front Panel: 45mm×50 mm

Number of keys: 4

Protection level: IP54

Interface: Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-6T-USB-118

Front Panel: 73.5mm×51.5mm

Number of keys: 6

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-22T-USB-32

Front Panel: 174mm x 106mm

Number of keys: 22

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-26T-USB-23-1

Front Panel: 108mm x 127mm

Number of keys: 26

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-23T-USB-35

Front Panel: 150mm×65mm

Number of keys: 23

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-40T-USB-33

Front Panel: 199mm×89mm

Number of Keys: 40

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-24T-USB-89

Front Panel: 80mm×118mm

Number of keys: 24

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-25T-USB-68A

Front Panel: 118mm x 118mm

Number of keys: 25

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None





Keyboard Series

IP65-IP67

Metal Keypad Series

OVNP-30T-USB-54

Front Panel: 72mm×265 mm

Number of keys: 30

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-22T-USB-109

Front Panel: 100mm×120mm

Number of keys: 22

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-24T-USB-170

Front Panel: 240mm x 130mm

Number of keys: 24


Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-24T-USB-138

Front Panel: 124mm x 88mm

Number of keys: 24

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-24T-USB-135

Front Panel: 248mm×77mm

Number of keys: 24

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-24T-USB-36

Front Panel: 129mm×172mm

Number of Keys: 24

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-53T-USB-18

Front Panel: 254mm×130mm

Number of keys: 53

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-28T-USB-45

Front Panel: 138mm x83mm

Number of keys: 28

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None





Keyboard Series

IP65-IP67

Metal Keyboard Series

OVNP-15T-USB-07

Front Panel: 79.4mm×155.4mm

Number of keys: 15

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVNP-22T-USB-58-2

Front Panel: 71.6mm×66mm

Number of keys: 22

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-4T-USB-01

Front Panel: 110mm x 24mm

Number of keys: 4

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-5T-USB-18

Front Panel: 110mm x 22mm

Number of keys: 5

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-6T-USB-03

Front Panel: 150mm×26mm

Number of keys: 6

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-7T-USB-13

Front Panel: 145mm×20mm

Number of Keys: 7

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-10T-USB-17

Front Panel: 480mm×24mm

Number of keys: 10

Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-2T-USB-29

Front Panel: 42mm x18mm

Number of keys: 2

Protection level: IP65

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None





OVNP-16T-USB-110

Front Panel: 165mm×150mm

Number of keys: 16

Protection level: IP65

Interface: RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVNP-4T-USB-09

Front Panel: 150mm x 35mm

Number of keys: 4


Protection level: IP54

Interface: USB、PS2、RS232、Matrix

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



Keyboard Series

IP65-IP67

Metal Keypad Series