



Industrial Metal Keyboard

Industrial metal keyboards are engineered to meet rigorous industrial standards, utilizing robust and corrosion-resistant materials such as stainless steel, aluminum, and zinc alloy. These keyboards incorporate highly reliable industrial-grade chips and circuit designs to ensure the highest durability and performance. Designed to withstand harsh environments, they are resistant to high static, high voltage, vibration, corrosion, saline-alkali, and extreme temperatures. As a result, they maintain stable operation and have become essential tools for data input in modern industrial production.



OVEK-65T-USB-01

Front Panel: 300mm×110mm

Number of keys: 65

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVEK-65T-USB-01



Front Panel: 300mm×110mm

Number of keys: 65

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None

OVEK-65T-USB-56

Front Panel: 270mm×100mm

Number of keys: 65

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVEK-65T-USB-75



Front Panel: 270mm×105mm

Number of keys: 67 (Plastic keys)

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



Keyboard Series

IP65-IP67

Metal Keyboard Series

OVEK-67T-USB-02



Front Panel: 392mm×110mm

Number of keys: 67

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None

OVEK-106T-USB-05



Front Panel: 478mm×135mm

Number of keys: 106

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional

OVEK-687T-USB-03

Front Panel: 400mm×124mm

Number of keys: 67

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVEK-106T-USB-05T

Front Panel: 478mm×135mm

Number of keys: 106

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVEK-89T-USB-06G



Front Panel: 392mm×135mm

Number of keys: 89

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional

OVEK-89T-USB-06T



Front Panel: 392mm×135mm

Number of keys: 89

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



Keyboard Series

IP65-IP67

Metal Keyboard Series

OVEK-106T-USB-05A



Front Panel: 502mm×159mm

Number of keys: 106

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional

OVEK-67T-USB-07



Front Panel: 392mm×110mm

Number of keys: 67

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None

OVEK-89T-USB-06G-A

Front Panel: 416mm×159mm

Number of keys: 89

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVEK-67T-USB-08

Front Panel: 400mm×124mm

Number of keys: 67

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVEK-89T-USB-06G DESK



Front Panel: 420mm×150mm x 35mm

Number of keys: 89

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional

OVEK-67T-USB-08 DESK



Front Panel: 400mm×124mm x25mm

Number of keys: 67

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



Keyboard Series

IP65-IP67

Metal Keyboard Series

OVEK-68T-USB-35T



Front Panel: 329.8mm×99.8mm

Number of keys: 68

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional

OVEK-68T-USB-35T BACKLIGHT



Front Panel: 329.8mm×99.8mm

Number of keys: 68

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional

OVEK-68T-USB-35T

Front Panel: 329.8mm×99.8mm

Number of keys: 68

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVEK-68T-USB-35G BACKLIGHT

Front Panel: 329.8mm×99.8mm

Number of keys: 68

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVEK-68T-USB-35T DESK



Front Panel: 348mm×118mm x 20mm

Number of keys: 68

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional

OVEK-68T-USB-35G-S



Front Panel: 329.8mm×99.8mm

Number of keys: 68

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



Keyboard Series

IP65-IP67

Metal Keyboard Series

OVEK-68T-USB-35G-B



Front Panel: 329.8mm×99.8mm

Number of keys: 68

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional

OVEK-68T-USB-30G



Front Panel: 288mm×101mm

Number of keys: 68

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional

OVEK-68T-USB-35G-M

Front Panel: 329.8mm×99.8mm

Number of keys: 68

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVEK-68T-USB-30T

Front Panel: 288mm×101mm

Number of keys: 68

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVEK-10T-USB-25



Front Panel: 406mm×135mm

Number of keys: 103

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional

OVEK-79T-USB-69



Front Panel: 343mm×125mm

Number of keys: 79

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



Keyboard Series

IP65-IP67

Metal Keyboard Series

OVEK-103T-USB-25A



Front Panel: 430mm×159mm

Number of keys: 103

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None

OVEK-79T-USB-69A



Front Panel: 264.8mm×125mm

Number of keys: 79

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None

OVEK-103T-USB-25 DESK

Front Panel: 418mm×147mm x 25mm

Number of keys: 103

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVEK-84T-USB-09-1 DESK

Front Panel: 298mm×138mm x25mm

Number of keys: 84

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVEK-89T-USB-11 DESK



Front Panel: 420mm×155 x 27.5 mm

Number of keys: 89

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None

OVEK-65T-USB-41



Front Panel: 330mm×140mm

Number of keys: 65

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



Keyboard Series

IP65-IP67

Metal Keyboard Series

OVEK-86T-USB-70



Front Panel: 319mm×135mm

Number of keys: 86

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional

OVEK-68T-USB-77



Front Panel: 329.8mm×99.8mm

Number of keys: 68

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None

OVEK-86T-USB-70 DESK

Front Panel: 340mm×160mm x 25mm

Number of keys: 86

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVEK-85T-USB-67

Front Panel: 404mm×154mm

Number of keys: 85

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVEK-87T-USB-96 DESK



Front Panel: 360mm×150 x 20 mm

Number of keys: 87

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None

OVEK-99T-USB-97



Front Panel: 363mm×132mm

Number of keys: 99

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



Keyboard Series

IP65-IP67

Metal Keyboard Series

OVEK-89T-USB-J3 WIRELESS



Front Panel: 420mm×150mm x28mm

Number of keys: 89

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None

OVEK-106T-USB-05 DESK

Front Panel: 500mm×160mm x36mm

Number of keys: 106

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVEK-73T-USB-05 DESK



Front Panel: 400mm×124mm x 23.5mm

Number of keys: 73

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None