


Industrial Trackball & Touchpad



Our industrial trackballs and touchpads are designed for high-performance and reliability in demanding environments.

Featuring precise and responsive control, they are ideal for use in applications where traditional mice or keyboards may fail, including industrial automation, military operations, medical equipment, and marine navigation.

Available in various sizes and configurations, our trackballs and touchpads can be customized to meet specific requirements, ensuring seamless integration and optimal performance in any industrial setting.

OVTB-3T-USB-02

Front Panel: 83 mm×110mm

Number of keys: 3

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-3T-USB-02-36A

Front Panel: 83 mm×110mm

Number of keys: 3

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-2T-USB-38

Front Panel: 66 mm×66mm

Number of keys: 2

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-3T-USB-36B

Front Panel: 77.8 mm×99.8mm

Number of keys: 3

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None





Keyboard Series

IP65-IP67

Metal Trackball & TP Series

OVTB-3T-USB-26

Front Panel: 88mm×100mm

Ball diameter: 36mm

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVTB-3T-USB-02 DESK

Front Panel: 90mm×120mm x 35mm

Ball diameter: 38mm

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-6T-USB-36A

Front Panel: 58.7mm×58.7mm

Ball diameter: 36mm

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: Optional



OVTB-1T-USB-36R

Front Panel: 58.6mm×58.6mm

Ball diameters: 36mm

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-2T-USB-28

Front Panel: 65mm×74mm

Number of keys: 3

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-1T-USB-35

Front Panel: 77mm×64mm

Number of keys: 3

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-1T-USB-38S

Front Panel: 74mm×57mm

Ball diameter: 38mm

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-1T-USB-25TB-J

Front Panel: 40mm×40mm

Ball diameter: 25mm

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None





Keyboard Series

IP65-IP67

Metal Trackball & TP Series

OVTB-1T-USB-50A

Front Panel: 73mm×73mm

Ball diameter: 50mm

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-1T-USB-50B

Front Panel: 73mm×73mm

Ball diameter: 50mm

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-1T-USB-50

Front Panel: 77.7mm×77.7mm

Ball diameter: 50mm

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-1T-USB-50E

Front Panel: 70.6mm×70.6mm

Ball diameter: 50mm

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-1T-USB-60

Front Panel:

Ball diameter: 60mm

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-1T-USB-34TB

Front Panel:

Ball diameter: 34mm

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTB-1T-USB-38-OTB

Front Panel: 73mm*58mm

Ball diameter: 38mm

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None





Keyboard Series

IP65-IP67

Metal Trackball & TP Series

OVTP-3T-USB-58

Front Panel: 83mm×110mm

Number of keys: 3

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTP-2T-USB-02

Front Panel: 80mm×80mm

Number of keys: 2

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTP-12T-USB-10

Front Panel: 100mm×91.5mm

Number of keys: 12

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTP-21T-USB-05T

Front Panel: 176mm×110mm

Number of keys: 21

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTP-17T-USB-05A

Front Panel: 127mm×94mm

Number of keys: 17

Protection level: IP65

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None



OVTP-20T-USB-33

Front Panel: 145mm×180mm

Number of keys: 20

Protection level: IP54

Interface: USB、PS2

Voltage: 5V±0.25

Temperature: -40 °C ~ 70 °C

Backlight: None

